

INNOVATIEF STERK

Vip Tools

FORT EN INNOVATION



**UNILITE**<sup>®</sup>





## #BUILT TOUGH

Since 1981 our family run business has had a passion for creating high quality tools that professionals can rely on. Made from premium materials and with ultra-tough designs, we choose only the best quality components to make our products. We don't compromise on quality.

As we design our products in house, we can ensure that even the tiniest details are covered. Whether it is choosing the lightest weight materials, or ensuring our models are robust enough for the trades, our products are designed to your high standards.

Moving forward, our ethos is to always improve our product offering. Whether that is upgrading existing models, or designing completely new products, we won't stop, nor will we compromise on quality or design.

In recent years we have embraced the latest technology such as denser energy lithium batteries, improved COB LEDs, wireless charging, and a change to over 90% recyclable packaging. We refuse to stop here. We are already using recycled materials in some of our products as well as packaging, and later in 2023 we will start introducing a new range of portable lighting that can run off power tool batteries which reduces battery wastage and in turn has less impact on the environment. Every year we will continue improving and create the best products that our customers deserve.

# CONTENTS

## SITE LIGHTS

<b>RF-2000</b>	Heavy Duty Floodlight	5
<b>RF-3300</b>	Heavy Duty Floodlight	5
<b>RF-5400</b>	Super Tough Floodlight	5
<b>SLR-3500</b>	Rechargeable Site Light	7
<b>SLR-5500</b>	Rechargeable Site Light	7
<b>RL-5250</b>	Industrial 360° LED Lantern	7
<b>SLR-4400</b>	Dual Power Site Light	9
<b>MTB-5300</b>	Multi Battery Hybrid Site Light	9

## INSPECTION LIGHTS

<b>PL-3</b>	Inspection Penlight	11
<b>IL-625R</b>	Inspection Light	11
<b>IL-SIG1</b>	Signalling Inspection Light	11
<b>IL-175R</b>	Folding Inspection Light	13
<b>IL-375R</b>	Folding Inspection Light	13
<b>IL-925R</b>	Folding Inspection Light	13

## WORK LIGHTS

<b>SLR-1450</b>	Compact Rotating Work Light	15
<b>SLR-1750</b>	Work Light with Powerbank	15

## HIGH CRI LIGHTS

<b>CRI-1650R</b>	High CRI Compact Work Light	15
<b>CRI-1250R</b>	High CRI Inspection Light	17
<b>CRI-3350</b>	High CRI Site Light	17
<b>CRI-H200R</b>	High CRI Sensor Headtorch	17
<b>HT-680R</b>	Dual LED High CRI Headtorch	19

## HEADTORCHES

<b>HT-900R</b>	High Power Industrial Headtorch	19
<b>HL-11R</b>	Industrial Super Bright Headtorch	19
<b>PS-HDL9R</b>	High Power Industrial Headtorch	21
<b>HT-650R</b>	Dual Power Dual LED Headtorch	21
<b>HL-7R</b>	Sensor Helmet Headtorch	21
<b>HT-450</b>	Dual LED Headtorch	23
<b>PS-HDL6R</b>	Dual Power Helmet Headtorch	23
<b>HL-5R</b>	Sensor Headtorch	23
<b>HL-4R</b>	USB Helmet Headtorch	25
<b>PS-HDL2</b>	Helmet Headtorch	25

## MISC. LIGHTS

<b>BLT-1</b>	USB Beanie Light	25
<b>NL-350R</b>	Rechargeable Neck Light	27
<b>PB-7800</b>	Powerbank with Flashlight	27
<b>L-1800</b>	Dual LED Lantern	27

## FLASHLIGHTS

<b>PT-2</b>	Aluminium Penlight	29
<b>FL-550R</b>	Aluminium USB Flashlight	29
<b>FL-1300R</b>	Aluminium USB Flashlight	29

## WIRELESS CHARGING

<b>WCFL12</b>	Wireless Flashlight	31
<b>WCIL11</b>	Wireless Inspection Light	31
<b>WCHX7</b>	Wireless Compact Work Light	31
<b>WCHT5</b>	Wireless Dual LED Headtorch	33
<b>WCSGL</b>	Single Wireless Charging Pad	33
<b>WCDBL</b>	Double Wireless Charging Pad	33

## INTRINSICALLY SAFE TORCHES

<b>ATEX-RA2</b>	Zone 0 Right Angle Torch	35
<b>ATEX-FL4</b>	Zone 0 Flashlight	35
<b>ATEX-H2</b>	Zone 0 Headtorch	35

## TOOL POUCHES

<b>OP-1B</b>	Heavy Duty Storage Pouches	37
<b>OP-2B</b>	Heavy Duty Storage Pouches	37
<b>OP-3B</b>	Super Heavy Duty Storage Pouch	37

## KNIVES & SCISSORS

<b>KC1</b>	Heavy Duty Cutter	39
<b>KC2</b>	Heavy Duty Cutter	39
<b>UK1</b>	Folding Utility Knife	39
<b>FK3</b>	Heavy Duty Folding Utility Knife	41
<b>EK4</b>	Heavy Duty Folding Utility Knife	41
<b>EK5</b>	Heavy Duty Folding Utility Knife	41
<b>ES-6</b>	Heavy Duty 6" Electricians Scissors	43
<b>MFS-8</b>	Heavy Duty 8" Multi-Function Scissors	43

## TAPE MEASURES

<b>MT5M4SL</b>	Heavy Duty 5m Tape Measure	45
<b>MT5M2</b>	Heavy Duty 5m Tape Measure	45
<b>MT8M3</b>	Heavy Duty 8m Tape Measure	45

## SAFETY GLASSES

<b>SG-YDS</b>	Safety Glasses - Dark Smoke	47
<b>SG-YCB</b>	Safety Glasses - Blue Light	47
<b>SG-YFG</b>	Safety Glasses - Foam Gasket	47
<b>SG-YID</b>	Safety Glasses - Indoor/Outdoor	49
<b>GLASSES-KIT</b>	Safety Glasses Accessories Kit	49

## SAFETY GLOVES

<b>UG-I2C4</b>	Impact & Cut-D Gloves	51
<b>UG-TW1</b>	Thermal Waterproof Gloves	51

## MAGNET & TRIPODS

<b>LARGE-MAGNET</b>	Super Strong Magnet	53
<b>TRIPOD-MINI</b>	Heavy Duty Mini Tripod	53
<b>TRIPOD-SGL</b>	Single Head Tripod	53
<b>TRIPOD-SW</b>	Single Head Tripod with Wheels	53
<b>TRIPOD-360</b>	Tripod with Magnetic Plate	53



## RF-2000 | HEAVY DUTY FLOODLIGHT

- 2000 lumen 15W 6500k COB LED
- Tough heavy duty Aluminium, TPR & nylon construction
- Low profile design for easy storage & transport
- Intelligent heat dissipating design
- 180° Adjustable stand with 2 sizes holes for attaching to tripods and the Unilite magnet
- 2A USB powerbank for charging devices
- Memory function - remembers last mode used
- IP65 dust & water resistant
- IK07 shock proof & 2m drop resistant
- Powerful 3.7v 5200mAh Li-ion battery
- 5 Battery level & charging indicators, plus low battery warning 3x flash
- Fast 2A USB-C charging - 3.5 hour charge time
- 1m high quality USB-C charging cable (included)

**BATTERY** 3.7v 5200mAh Li-ion  
**WEIGHT** 610g  
**DIMENSIONS** 172.5 x 112 x 49mm

**LUMEN** 2000LM | **RUNTIME** 3-25H | **BEAM** 56M | **IP RATING** IP65/IK07

## RF-3300 | HEAVY DUTY FLOODLIGHT

- 3300 lumen 30W 6500k COB LED
- Tough heavy duty Aluminium, TPR & nylon construction
- Low profile design for easy storage & transport
- Intelligent heat dissipating design
- 180° Adjustable stand with 2 sizes holes for attaching to tripods and the Unilite magnet
- 2A USB powerbank for charging devices
- Memory function - remembers last mode used
- IP65 Dust & water resistant
- IK07 Shock proof & 2m drop resistant
- Powerful 7.4v 5200mAh Li-ion battery
- 5 Battery level & charging indicators, plus low battery warning 3x flash
- Fast 2A USB-C charging - 5.5 hour charge time
- 1m high quality USB-C charging cable (included)

**BATTERY** 7.4v 5200mAh Li-ion  
**WEIGHT** 940g  
**DIMENSIONS** 208 x 140 x 56mm

**LUMEN** 3300LM | **RUNTIME** 3-25H | **BEAM** 79M | **IP RATING** IP65/IK07

## RF-5400 | SUPER TOUGH FLOODLIGHT

- 5400 lumen 50W 6500K SMD LEDs
- Top quality LEDs with up to 100,000 hour lifespan
- Dual Power - rechargeable and mains powered
- Super tough heavy duty nylon construction
- Low profile design for easy storage & transport
- Glare-free milky lens for extensive light spread
- Intelligent heat dissipating design
- 180° adjustable stand/handle with holes for tripod/magnet (comes with long threaded screw)
- Memory function - remembers last mode used
- IP65 dust & water resistant
- IK09 shock proof & 2m drop resistant
- 5 x Battery level and charging indicators
- Mains 15V-1.5A multi-country charger/power lead included (inc UK, EU, US & AU adaptors)
- Quick 3.5 hour charge time
- Magnet attachment and tripods available to purchase separately

**BATTERY** 11.1v 5200mAh Li-ion  
**WEIGHT** 1450g  
**DIMENSIONS** 273 x 205 x 81mm

**LUMEN** 5400LM | **RUNTIME** 2-16H | **BEAM** 56M | **IP RATING** IP65/IK09



## SLR-3500 | RECHARGEABLE SITE LIGHT

- 3500 lumen 30W white SMD LEDs, 6500k
- Powerful 7.4v 6600mAh Li-ion battery
- Removable battery with powerful 2A USB power bank with battery level and charging indicators
- Dual Power - rechargeable battery and mains powered
- Tough aluminium & polycarbonate construction
- Glow-in-the-Dark strip around reflector for extra visibility
- Built-in aluminium heat sink
- Anti-slip rubber grip handle
- Adjustable head to change light angle
- Acrylic LED diffuser for even light dispersion
- Super strong magnetic base
- Mains multi-country 12V-2A charger/power lead included (inc UK, EU, US & AU adaptors)
- 4-5 hours charge time

<b>BATTERY</b>	7.4v 6600mAh Li-ion Battery Pack
<b>WEIGHT</b>	1880g
<b>DIMENSIONS</b>	215 x 192 x 285mm

**LUMEN 3500LM | RUNTIME 3-6H | BEAM 31M | IP RATING IP54**

## SLR-5500 | RECHARGEABLE SITE LIGHT

- 5500 lumen 50W white SMD LEDs, 6500k
- High power 7.4v 7500mAh Li-ion battery
- Removable battery with powerful 2A USB power bank with battery level and charging indicators
- Dual Power - rechargeable battery and mains powered
- Tough aluminium & polycarbonate construction
- Glow-in-the-Dark strip around reflector for extra visibility
- Built-in aluminium heat sink
- Anti-slip rubber grip handle
- Adjustable head to change light angle
- Acrylic LED diffuser for even light dispersion
- Super strong magnetic base
- Mains multi-country 12V-2A charger/power lead included (inc UK, EU, US & AU adaptors)
- 4-5 hours charge time

<b>BATTERY</b>	7.4v 7500mAh Li-ion Battery Pack
<b>WEIGHT</b>	2200g
<b>DIMENSIONS</b>	215 x 192 x 285mm

**LUMEN 5500LM | RUNTIME 3-6H | BEAM 54M | IP RATING IP54**

## RL-5250 | INDUSTRIAL 360° LED LANTERN

- 5250 lumen 50W 160 x SMD LEDs, 6500k
- Dual Power - rechargeable and mains powered
- 360° and 180° Lighting modes
- Ultra tough nylon polymer construction
- Memory function - remembers last mode used
- Milky polycarbonate diffuser for even light dispersion
- Stainless steel carry handle on the top
- Concealed ultra tough hanging hook in the base
- Screw hole in the base for attaching to tripods
- IP65 dust & water proof
- IK07 shock resistant
- High power 11.1v 5200mAh Li-ion battery
- Battery level and charging indicators
- Mains 15V-1.5A multi-country charger/power lead included (inc UK, EU, US & AU adaptors)
- Fast 3.5 hours charge time

<b>BATTERY</b>	11.1v 5200mAh Li-ion
<b>WEIGHT</b>	1820g
<b>DIMENSIONS</b>	Ø157.5 x 285.6 mm

**LUMEN 5250LM | RUNTIME 2-16H | BEAM 44M | IP RATING IP65/IK07**





## SLR-4400 | DUAL POWER SITE LIGHT

- 4400 lumen 50W white COB LED, 6500k
- Dual Power - rechargeable & mains powered
- Super tough IK07 aluminium & TPR construction
- Memory function - remembers last mode used
- Built-in aluminium heat sink
- 180° Vertical adjustable stand/handle
- Tripod & magnet mountable via hole in stand
- IP65 dust & water resistant
- Powerful 11.1v 5200mAh integrated li-ion battery
- Battery level and charging indicators
- Mains 15V-1.5A multi-country charger/power lead included (inc UK, EU, US & AU adaptors)
- Quick 4 hour charge time
- Magnet attachment and tripods available to purchase separately

<b>BATTERY</b>	11.1v 5200mAh Li-ion
<b>WEIGHT</b>	1150g
<b>DIMENSIONS</b>	225 x 220 x 70mm

**LUMEN** 4400LM | **RUNTIME** 2-9H | **BEAM** 74M | **IP RATING** IP65/IK07

## MTB-5300 | MULTI BATTERY HYBRID SITE LIGHT

- 5300 lumen 50W 6500K COB LED
- Dual Power - rechargeable & mains powered
- Takes up to 20V 6.0Ah batteries from Milwaukee, De Walt, Makita & Metabo - 4 adapters included
- Secure battery compartment cover (note: larger 6.0Ah batteries may need to be used without cover)
- Super tough heavy duty nylon construction
- Easy carry rubber grip handle
- Rotating stand with holes for attaching tripod/magnet
- 4 x dim settings: 650 / 1350 / 2700 / 5300 lumen
- IP65 Dust & water resistant / IK07 Shock proof
- Memory Switch - remember last mode used
- Safety automatic switch-over from mains to battery in the event of power failure (battery installation required)
- 2A USB Powerbank - works with any battery Installed
- 4 x Battery level & charging indicators
- Comes with 5 metre heavy duty 24V-2.7A H05RN-F charger/power lead (includes UK, EU, US & AU plugs)
- Unilite 14.8V 5.2Ah battery available to purchase separately (NOTE: Only Unilite battery can be charged via the lamp)

<b>BATTERY</b>	Not included, bare tool
<b>WEIGHT</b>	1250g
<b>DIMENSIONS</b>	W 238 x H 257 x D 181mm

*NOTE: runtimes based on Unilite 5.2Ah battery*

**LUMEN** 5300LM | **RUNTIME** approx 2.5-16H | **BEAM** 95M | **IP RATING** IP65/IK07



## PL-3 | INSPECTION PENLIGHT

- 275 lumen white SMD LEDs, 6500k
- Die cast aircraft grade aluminium construction
- Easy press rubberised micro-switch
- 3 Light mode settings
- Strong magnetic base
- Useful rear aluminium pocket clip
- IPX4 water resistant
- 1m drop resistant

<b>BATTERY</b>	3 x 1.5v AAA Alkaline Batteries (inc.)
<b>WEIGHT</b>	57g (without batteries)
<b>DIMENSIONS</b>	154 x 15 x 21.5mm

**LUMEN 275LM | RUNTIME 3-16H | BEAM 23M | IP RATING IPX4**

## IL-625R | INSPECTION LIGHT

- 625 lumen white 5W COB LED, 6500k
- 250 lumen white 3W SMD LED spot beam torch, 6500k
- 395nm UV LED on front
- Super tough aluminium & polycarbonate
- Rear magnetic pocket clip
- Strong integral magnets on back & base
- Glow-in-the-dark strip around LED
- Battery level & charging indicators
- High power 3.7v 2500mAh Li-ion battery
- Quick 1A USB-C charging - 3 hours charge time
- 1m USB-C charging cable included

<b>BATTERY</b>	3.7v 2500mAh Li-ion
<b>WEIGHT</b>	190g
<b>DIMENSIONS</b>	188 x 35 x 35mm

**LUMEN 625LM | RUNTIME 3-12H | BEAM 46M | IP RATING IP65/IK07**

## IL-SIG1 | SIGNALLING INSPECTION LIGHT

- 1100 lumen white 10W SMD LEDs, 6500k
- Red / Amber / Green SMD LEDs for signalling
- Coloured LEDs have static and 2Hz flashing functions
- 4 Independent switches for easy operation
- Additional 220 lumen white 6500k SMD LED top torch
- Super tough aluminium & polycarbonate construction
- Built-in aluminium heat sink on the back
- Integral rotating hanging hook with magnets
- Multi-positional fold-out kick stand/hook
- IP54 dust and water resistant
- Red-to-Green charging indicator LED
- 1m high quality DC-USB charging cable included

<b>BATTERY</b>	3.7v 4400mAh Li-ion
<b>WEIGHT</b>	334g
<b>DIMENSIONS</b>	205 x 60 x 42mm

**LUMEN 1100LM | RUNTIME 3.5-30H | BEAM 61M | IP RATING IP54**



## IL-175R | FOLDING INSPECTION LIGHT

- 175 lumen white COB LED, 6500k
- Secondary rear 150 lumen white COB LED, 6500k
- Extra top torch - 70 lumen SMD LED, 6500k
- Ultra lightweight compact pocket size
- Memory function - remembers last mode used
- 180° vertical folding head
- Super tough IK07 nylon polymer and aluminium construction
- Useful pocket clip
- Strong magnetic base and dual rear magnets
- High quality 350mAh li-ion battery
- Low battery 3x warning flash - reminds when charging is needed
- Quick 1A USB-C charging - 2.5 hours charge time
- 1m high quality USB-C cable included

<b>BATTERY</b>	3.7v 350mAh Li-ion
<b>WEIGHT</b>	60g
<b>DIMENSIONS</b>	folded 111.5 x 19.2 mm / extended 225 x 19.2 mm

**LUMEN 175LM | RUNTIME 3-6H | BEAM 21M | IP RATING IP20/IK07**

## IL-375R | FOLDING INSPECTION LIGHT

- 375 lumen white COB LED, 6500k
- Secondary rear 250 lumen white COB LED, 6500k
- Extra top torch - 100 lumen SMD LED, 6500k
- Ultra lightweight compact pocket size
- Memory function - remembers last mode used
- 180° vertical folding head
- Super tough IK07 nylon polymer and aluminium construction
- Useful pocket clip
- Strong magnetic base and dual rear magnets
- High quality 1100mAh li-ion battery
- Low battery 3x warning flash - reminds when charging is needed
- Quick 1A USB-C charging - 3 hour charge time
- 1m high quality USB-C cable included

<b>BATTERY</b>	3.7v 1100mAh Li-ion
<b>WEIGHT</b>	80.8g
<b>DIMENSIONS</b>	folded 156 x 33 x 20.6 mm / extended 298 x 26 x 20.6 mm

**LUMEN 375LM | RUNTIME 3-6H | BEAM 26M | IP RATING IP54/IK07**

## IL-925R | FOLDING INSPECTION LIGHT

- 925 lumen white COB LED, 6500k
- Secondary rear 475 lumen white COB LED, 6500k
- Extra top torch - 150 lumen SMD LED, 6500k
- Compact hand-held and pocket size
- Memory function - remembers last mode used
- 180° vertical folding head
- Super tough aluminium & nylon construction
- IK07 shock resistant - 2m drop resistant
- Super strong magnetic base
- IP54 dust & water resistant
- High quality 2600mAh li-ion battery
- Battery level & charging indicators
- 1A USB-C charging - 4 hour charge time
- 1m high quality USB-C cable included

<b>BATTERY</b>	3.7v 2600mAh Li-ion
<b>WEIGHT</b>	193g
<b>DIMENSIONS</b>	folded 162 x 40 x 29 mm / extended 304 x 33 x 29 mm

**LUMEN 925LM | RUNTIME 2.5-9H | BEAM 41M | IP RATING IP54/IK07**



## SLR-1450 | COMPACT WORK LIGHT

- 1450 lumen white COB LED, 6500k
- With 150 lumen 6500k white LED flashlight
- Plus 45 lumen Red and Red flash modes
- Powerful 'LG' 3.7v 5000mAh 21700 Li-ion battery
- Super tough copolymer and aluminium construction
- 180° rotating handle/stand with carabiner snap hook
- Strong magnets within the stand
- Glow-in-the-dark strip for extra visibility
- Battery level and charging indicators
- Faster 2A USB-C charging - 3 hour charge time
- 1m high quality USB-C cable included
- Battery can be removed so a convenient spare can be kept at hand
- 21700 battery has its own USB-C port so is easily charged out of the lamp and used as a separate powerbank

<b>BATTERY</b>	3.7v 5000mAh 21700 Li-ion
<b>WEIGHT</b>	288g
<b>DIMENSIONS</b>	folded 122.5 x 50.5 x 50.5mm / extended 219 x 50.5 x 50mm

**LUMEN** 1450LM | **RUNTIME** 3-90H | **BEAM** 53M | **IP RATING** IPX5

## SLR-1750 | WORK LIGHT WITH POWERBANK

- 1750 lumen white COB LED, 6500k
- Red LED modes for emergency / signalling / night vision
- Built-in USB power bank with multiple intelligent outputs - 5V-3A/9V-2A/12V-1A
- Super tough copolymer and aluminium construction
- 180° rotating handle/stand with carabiner snap hook
- Strong magnets within the stand
- Glow-in-the-dark strip for extra visibility
- Super high power 'LG' 10,400mAh battery
- Battery level and charging indicators
- Faster 4 - 4.5 hour USB-C charging with multiple inputs - 5V-3A/9V-2A
- 1m high quality USB-C cable included

<b>BATTERY</b>	3.7v 10,400mAh Li-ion
<b>WEIGHT</b>	600g
<b>DIMENSIONS</b>	folded - 158 x 102 x 55mm / extended - 268 x 102 x 48mm

**LUMEN** 1750LM | **RUNTIME** 4.5-195H | **BEAM** 50M | **IP RATING** IPX5

## CRI-1650R | HIGH CRI COMPACT WORK LIGHT

- 1650 lumen 13.8W high CRI 96+ COB LED
- 4 Colour Temperatures - CCT range: 2700k / 3500k / 4500k / 6500k
- 4 x 395nm UV LEDs on the front
- Super tough nylon, TPR and aluminium construction
- Built-in USB power bank with multiple intelligent outputs - 5V-3A/9V-2A/12V-1A
- Glow-in-the-Dark strip around LED for extra visibility
- Easy press rear switches for easy mode selection
- 180° Rotating stand with carabiner snap hook
- Threaded hole and strong magnets in the base
- Super high power 13,500mAh li-ion battery
- Intelligent multiple USB-C charging inputs: 5V-3A / 9V-2A
- Battery level and charging indicators
- Faster 2A and 3A charging - 6 or 5.5 hour charge time
- 1m USB-C charging cable included

<b>BATTERY</b>	3.7v 13,500mAh Li-ion
<b>WEIGHT</b>	420g
<b>DIMENSIONS</b>	98 x 111 x 44.5mm



**LUMEN** 1650LM | **RUNTIME** 7.5-149H | **BEAM** 39M | **IP RATING** IPX5

**UNILITE**





## CRI-1250R | HIGH CRI INSPECTION LIGHT

- 1250 lumen 10W high CRI 96+ COB LED
- 3 Colour Temperatures - CCT range: 2700k / 4500k / 6500k
- Press and hold smooth dimming function
- 250 Lumen 3W SMD LED flood beam top torch
- 5W UV LEDs on front (385nm)
- Built-in power bank for charging devices
- Super tough aluminium & polycarbonate structure
- Strong integral magnets on back & base
- Retractable 360° rotating hanging hook
- Glow-in-the-dark strip around LED
- Battery level & charging indicators
- Faster 2A USB-C charging - 5 hours charge time
- Magnetic charging dock & 1m USB-C charging cable included

**BATTERY** 3.7v 5000mAh Li-ion  
**WEIGHT** 406g  
**DIMENSIONS** 216 x 58 x 38mm



**LUMEN** 1250LM | **RUNTIME** 3-24H | **BEAM** 58M | **IP RATING** IP65/IK07

## CRI-3350 | HIGH CRI SITE LIGHT

- 3350 lumen 30W high CRI 96+ COB LED
- 5 Colour Temperatures - CCT range: 2700K / 3500K / 4500K / 5500K / 6500K
- Dual power - rechargeable & mains powered
- Memory function - remembers last mode used
- Super tough aluminium, nylon & TPR structure
- Built in aluminium heat sink
- 180° adjustable stand/handle with hole for attaching to tripod/magnet
- IP65 dust & water resistance
- IK07 shock resistance
- Battery level & charging indicators
- Mains 5M 15V-1.5A 'quick release' multi-country charger/power lead included (inc UK, EU, US & AU adaptors)
- Fast 3.5 hours charge time

**BATTERY** 11.1v 5200mAh Li-ion  
**WEIGHT** 1150g  
**DIMENSIONS** 224 x 199 x 74mm



**LUMEN** 3350LM | **RUNTIME** 2.5-9H | **BEAM** 62M | **IP RATING** IP65/IK07

## CRI-H200R | HIGH CRI SENSOR HEADTORCH

- 200 lumen high CRI 96+ COB LED
- 3 Colour Temperatures - CCT range: 2500K / 4500K / 6500K
- Sensor mode for hands-free operation
- Super tough construction with rubberised coating
- 60° rotational head
- Adjustable non-slip silicone lined headband included
- IP65 dust & water resistant
- IK07 Shock resistant
- Red-to-Green charging indicator
- Fast 1A USB-C charging - 2.5 hours charge time
- 1m USB-C charging cable included

**BATTERY** 3.7v 1500mAh Li-Polymer  
**WEIGHT** 110g  
**DIMENSIONS** headtorch 48 x 79 x 46mm



**LUMEN** 200LM | **RUNTIME** 3H | **BEAM** 27M | **IP RATING** IP65/IK07



## HT-680R | DUAL LED HIGH CRI HEADTORCH

- 680 lumen white spot beam CREE LED, 6500k
- Secondary 500 Lumen warm white flood beam high CRI 90+ CREE LED, 4500k
- Memory function - remembers last mode used
- Super tough construction with top quality cables and rubberised coating
- Adjustable non-slip silicone lined headband included
- 4 x Helmet clips included
- 90° rotational head
- IP65 dust & water resistant
- IK07 shock proof - 2m drop resistant
- Rechargeable 3.7v 2600mAh Li-ion battery
- Useful battery level and charging indicator
- 1A USB-C charging - 4.5 hours charge time
- 1m USB-C charging cable included

<b>BATTERY</b>	3.7v 2600mAh Li-Ion Battery
<b>WEIGHT</b>	175g
<b>DIMENSIONS</b>	headtorch 56 x 35 x 25mm / battery pack: 86 x 36 x 37 mm



**LUMEN** 680LM | **RUNTIME** 4-30H | **BEAM** 89M | **IP RATING** IP65/IK07

## HT-900R | HIGH POWER INDUSTRIAL HEADTORCH

- 900 lumen white CREE LED, 6500k
- Wide angle light spread with bright central spot
- Super tough construction with top quality cables
- Memory function - remembers last mode used
- Adjustable non-slip silicone lined headband included
- 4 x Helmet clips included
- 72° rotational head
- IP65 dust & water resistant
- IK07 shock proof - 2m drop resistant
- Useful battery level and charging indicator
- 1A USB-C charging - 4.5 hours charge time
- 1m USB-C charging cable included

<b>BATTERY</b>	3.7v 2600mAh Li-Ion Battery
<b>WEIGHT</b>	185g
<b>DIMENSIONS</b>	headtorch 44 x 39 x 46mm / battery pack: 86 x 36 x 37 mm

**LUMEN** 900LM | **RUNTIME** 4.5-100H | **BEAM** 82M | **IP RATING** IP65/IK07

## HL-11R | INDUSTRIAL SUPER BRIGHT HEADTORCH

- 1100 lumen white CREE LED, 6500k
- Easy twist smooth dimming switch
- Retractable shield to provide spot & flood beams
- 2 x High power 18650 2600mAh Li-ion batteries included
- Intelligent parallel circuitry - works with 1 or 2 batteries
- Super tough construction with top quality cables
- 45° rotational head
- Adjustable non-slip silicone lined headband included
- Useful battery level and charging indicators
- 2A USB-C charging - 4.5 hours charge time
- 1m USB-C charging cable included
- Presented in an EVA hard shell zipped case

<b>BATTERY</b>	2 x 3.7v 2600mAh 18650 Li-ion (inc.)
<b>WEIGHT</b>	275g (with 2 batteries)
<b>DIMENSIONS</b>	headtorch 38 x 60 x 45mm / battery pack 53 x 90 x 45mm

**LUMEN** 1100LM | **RUNTIME** 4-148H | **BEAM** 167M | **IP RATING** IPX6



## PS-HDL9R | HIGH POWER INDUSTRIAL HEADTORCH

- 750 lumen white CREE LED, 6500k
- Red rear battery pack light (ON & FLASH)
- Intelligent parallel circuitry - works with 1 or 2 batteries
- Anti-dazzle retractable light shield
- Super wide angle light spread
- Easy twist smooth dimming power switch
- 45° rotational head
- Super tough construction with top quality cables
- Adjustable non-slip silicone lined headband included
- Fast 2A USB-C charging - 3.5 hours charge time
- Useful battery level and charging indicators
- 1m USB-C charging cable included
- Presented in an EVA hard shell zipped case

<b>BATTERY</b>	2 x 3.7v 2000mAh 18650 Li-ion (inc.)
<b>WEIGHT</b>	275g (with 2 batteries)
<b>DIMENSIONS</b>	headtorch 38 x 60 x 45mm / battery pack 65 x 90 x 45mm

**LUMEN** 750LM | **RUNTIME** 4-260H | **BEAM** 100M | **IP RATING** IPX6

## HT-650R | DUAL POWER DUAL LED HEADTORCH

- 650 lumen white COB LED, 6500k
- Circular COB LED for wide flood lighting
- Additional 450 lumen CREE LED spot beam, 6500K
- Dual Power - rechargeable or 3 x AAA batteries
- Memory function - remembers last mode used
- Super tough construction with rubberised coating
- 60° rotational head
- Adjustable non-slip silicone lined headband included
- IK07 shock proof - 2m drop resistant
- Rechargeable 3.8v Li-Po battery included
- Red-to-Green charging indicator on battery
- Fast 1A USB-C charging - 3.5 hours charge time
- 1m USB-C charging cable included

<b>BATTERY</b>	3.8v 1100mAh Li-Polymer Battery (inc) or 3 x 1.5v AAA Alkaline Batteries (not inc.)
<b>WEIGHT</b>	89g
<b>DIMENSIONS</b>	headtorch 46.3 x 68.7 x 40mm

**LUMEN** 650LM | **RUNTIME** 2-30H | **BEAM** 84M | **IP RATING** IP65/IK07

## HL-7R | SENSOR HELMET HEADTORCH

- 475 lumen white CREE LED, 6500k
- 2 x Side SMD LEDs for wide flood lighting
- Sensor mode for hands-free operation
- Super tough construction with side heat sinks
- 45° rotational head
- 1m impact resistant
- Adjustable non-slip silicone lined headband included
- 3M VHB adhesive helmet mount included
- Fast 1A USB-C charging - 2.5 hour charge time
- Battery level & charging indicator
- 1m USB-C charging cable included

<b>BATTERY</b>	3.7v 1800mAh Li-Polymer
<b>WEIGHT</b>	94g
<b>DIMENSIONS</b>	headtorch 33 x 60 x 42mm

**LUMEN** 475LM | **RUNTIME** 2-7.5H | **BEAM** 100M | **IP RATING** IPX5



## HT-450 | DUAL LED HEADTORCH

- 450 lumen white CREE LED, 6500k
- With diffuser for wide flood lighting
- Additional 250 lumen white CREE LED spot beam, 6500k
- With collimator lens for long distance beam
- Memory function - remembers last mode used
- 3 x AAA Alkaline batteries included
- Adjustable non-slip silicone lined headband included
- 60° rotational head
- IP65 dust & water resistant
- IK07 shock proof
- 2m Drop resistant

<b>BATTERY</b>	3 x 1.5v AAA Alkaline Batteries (Included)
<b>WEIGHT</b>	82g
<b>DIMENSIONS</b>	headtorch 46.3 x 68.7 x 35.9mm

**LUMEN** 450LM | **RUNTIME** 3.5-30H | **BEAM** 134M | **IP RATING** IP65/IK07

## PS-HDL6R | DUAL POWER HELMET HEADTORCH

- 350 lumen white SMD LEDs, 6500k
- Network Rail Approved
- Dual Power - rechargeable battery included or 3 x AAA batteries
- 3M VHB adhesive helmet mount (included)
- Adjustable non-slip silicone lined headband included
- Anti-dazzle retractable light shield
- 45° rotational head
- 3 x AAA battery cartridge included
- Battery level & charging indicator
- Direct charging removable battery - 1A USB-C with 4 hour charge time
- Spare batteries can be purchased separately
- 1m USB-C charging cable included

<b>BATTERY</b>	3.7v 1800mAh Li-Polymer (inc.) or 3 x AAA Battery Cartridge (batteries not inc.)
<b>WEIGHT</b>	86g (with lithium battery) / 94g (with 3 x AAA batteries)
<b>DIMENSIONS</b>	headtorch 50 x 65 x 45mm

**LUMEN** 350LM | **RUNTIME** 2-59H | **BEAM** 27M | **IP RATING** IPX6

## HL-5R | SENSOR HEADTORCH

- 325 lumen white COB LED, 6500k
- Sensor mode for hands-free operation
- Super tough construction with rubberised coating
- 60° rotational head
- Adjustable non-slip silicone lined headband included
- IP65 dust & water resistant
- IK07 Shock resistant
- 1m Drop resistant
- Red-to-Green charging indicator
- Fast 1A USB-C charging - 2.5 hours charge time
- 1m USB-C charging cable included

<b>BATTERY</b>	3.7v 1500mAh Li-Polymer
<b>WEIGHT</b>	110g
<b>DIMENSIONS</b>	headtorch 48 x 79 x 46mm

**LUMEN** 325LM | **RUNTIME** 2-5.5H | **BEAM** 38M | **IP RATING** IP65/IK07

**UNILITE**





## HL-4R | USB HELMET HEADTORCH

- 275 lumen white CREE LED, 6500k
- 2 x 5mm red LEDs for night vision - static & flashing modes
- Easy push micro switch
- 45° rotational head
- Ultra-smooth reflector for long distance beam
- Super lightweight design
- Strong ABS housing
- 1m impact resistant
- Adjustable non-slip silicone lined headband included
- 3M VHB adhesive helmet mount included
- Useful drawstring bag included
- Red-to-Green charging indicator
- Fast 1A USB-C charging - 2.5 hour charge time
- 1m USB-C charging cable included

**BATTERY** 3.7v 1800mAh Li-Polymer  
**WEIGHT** 78g  
**DIMENSIONS** headtorch 63 x 40 x 42mm

**LUMEN 275LM | RUNTIME 6.5-170H | BEAM 95M | IP RATING IPX5**

## PS-HDL2 | HELMET HEADTORCH

- 200 lumen white CREE LED, 6500k
- 2 x 5mm LEDs for floodlight modes
- Easy push micro switch
- Ultra-smooth reflector for long distance beam
- 45° rotational head
- 3 x AAA Energizer alkaline batteries included
- Super lightweight design
- Strong ABS housing
- 1m impact resistant
- IPX6 water resistant
- Adjustable non-slip silicone lined headband included
- 3M VHB adhesive helmet mount included

**BATTERY** 3 x 1.5v AAA Energizer Alkaline Batteries (inc.)  
**WEIGHT** 88g (with batteries)  
**DIMENSIONS** headtorch 47 x 62 x 37mm

**LUMEN 200LM | RUNTIME 5-185H | BEAM 95M | IP RATING IPX6**

## BLT-1 | USB BEANIE LIGHT

- 250 lumen white COB LEDs, 6500k
- Red 625nm static & flashing modes
- Light is easily removed from hat
- Built-in USB-A connector with protective cover
- Directly charged via a USB port
- High quality 3.7v 420mAh li-po battery
- Super fast charge time - 1.5 hours
- Red-to-Green charging indicator
- IPX5 water resistant
- Comfortable knitted Beanie, one size fits all
- Fabric: 35% acrylic 65% polyester
- Machine washable at 30°

**BATTERY** 3.7v 420mAh Li-Polymer  
**WEIGHT** 27g (light only)  
**DIMENSIONS** 73.5 x 41 x 15mm

**LUMEN 250LM | RUNTIME 2-30H | BEAM 13M | IP RATING IPX5**



## NL-350R | RECHARGEABLE NECK LIGHT

- 350 lumen 6500k white SMD LEDs
- Super lightweight, adjustable and comfortable
- 2 light heads can be adjusted independently
- Super tough nylon & polycarbonate construction
- Up to 120° wider lighting angle
- IK07 Shock proof - 2m drop resistant
- IP54 Dust & water resistant
- Circuit protection prevents battery from over-charging or over-discharging
- High quality 3.7v 700mAh Li-ion battery
- 3 colour LED battery level indicator
- Charging indicator - Green flash: Charging / Green: Fully Charged
- Low battery 3x warning flash - reminds when charging is needed
- 1A USB-C charging cable included - quick 2.5 hour charge time

**BATTERY** 3.7v 700mAh Li-ion  
**WEIGHT** 140g  
**DIMENSIONS** 230 x 150 x 23mm

**LUMEN** 350LM | **RUNTIME** 2-10H | **BEAM** 45M | **IP RATING** IP54/IK07

## PB-7800 | POWERBANK WITH FLASHLIGHT

- Industrial magnetic powerbank with flashlight
- High quality 3.7v 7800mAh Li-ion battery
- Super tough nylon and TPR construction
- Intelligent multiple outputs - 5V-2.4A / 9V-2A / 12V-1.5A
- Fast 2A USB-C charging - 5 hour charge time
- Over-charge, over-load, deep-discharge and short-circuit protection
- Battery level and charging indicators
- 250 lumen 6500k SMD LED flashlight with flashing mode
- IK07 Shock proof - 2m drop proof
- IP65 Dust & water resistant
- Super strong magnetic base
- Sturdy rear metal pocket clip
- 1m high quality USB-C charging cable included

**BATTERY** 3.7v 7800mAh Li-ion  
**WEIGHT** 265g  
**DIMENSIONS** 114 x 65 x 32mm

**LUMEN** 250LM | **RUNTIME** 35H | **BEAM** 21M | **IP RATING** IP65/IK07

## L-1800 | DUAL LED LANTERN

- 1800 lumen white spot beam LED, 6500k
- Additional 1000 lumen COB LED floodlight, 6500k
- Red static & red flashing modes
- Super tough polycarbonate, ABS & aluminium construction
- Easy press dual switches for easy mode selection
- Threaded hole in the base for attaching to tripods
- Glow-in-the-Dark strip around reflector
- Convenient shoulder carry strap included
- Battery level & charging indicator LEDs
- Super high power 18,000mAh li-ion battery
- Multiple USB power bank outputs - 5V-3A / 9V-2A / 12V-1A
- Intelligent multiple USB-C charging inputs - 5V-3A / 9V-2A
- Faster 2A and 3A charging - 8 or 7 hour charge time

**BATTERY** 3.7v 18,000mAh Li-ion  
**WEIGHT** 773g  
**DIMENSIONS** 108 x 200 x 131mm

**LUMEN** 1800LM | **RUNTIME** 9-390H | **BEAM** 760M | **IP RATING** IPX6



## PT-2 | ALUMINIUM PENLIGHT

- 275 lumen white CREE LED, 6500k
- Hard anodized die cast matte aluminium body
- Tactical rubberised micro switch operation
- 2 light mode settings
- Flawless smooth reflector for long distance beam
- Convenient battery replacement - 2 x AAA Alkaline
- IP66 dust and waterproof
- Impact resistant to 1m
- Convenient detachable pocket clip

**BATTERY** 2 x 1.5v AAA Duracell Alkaline Batteries (inc.)  
**WEIGHT** 65g (with batteries)  
**DIMENSIONS** 137 x 18 x 25mm

**LUMEN** 275LM | **RUNTIME** 1.5-15H | **BEAM** 90M | **IP RATING** IP66

## FL-550R | ALUMINIUM USB FLASHLIGHT

- 550 lumen white Nichia LED, 6500k
- Hard anodized die cast matte aluminium body
- Tactical rubberised micro switch operation
- 3 light mode settings and 8Hz defence strobe
- Flawless smooth reflector for long distance beam
- IP67 dust and waterproof - 1m submersible
- Impact resistant to 1m
- Built-in USB rubberised charging port cover
- Battery level and charging indicator LED
- 1A USB-C charging - fast 2 hours charge time
- High quality USB-C charging cable included
- Nylon velcro holster & safety nylon wrist strap included

**BATTERY** 3.7v 800mAh 14500 'Fuel Bar' Li-ion (inc.)  
**WEIGHT** 109g (with battery)  
**DIMENSIONS** Ø30 x 113mm

**LUMEN** 550LM | **RUNTIME** 2.5-21H | **BEAM** 182M | **IP RATING** IP67

## FL-1300R | ALUMINIUM USB FLASHLIGHT

- 1300 lumen white Nichia LED, 6500k
- Hard anodized die cast matte aluminium body
- Tactical rubberised micro switch operation
- 3 light mode settings and 8Hz defence strobe
- Flawless smooth reflector for long distance beam
- IP67 dust and waterproof - 1m submersible
- Impact resistant to 1m
- Built-in USB rubberised charging port cover
- Battery level and charging indicator LED
- Fast 2.1A USB-C charging - 2.5 hours charge time
- High quality USB-C charging cable included
- Nylon velcro holster & safety nylon wrist strap included

**BATTERY** 3.7v 2600mAh 18650 'Fuel Bar' Li-ion (inc.)  
**WEIGHT** 229g (with battery)  
**DIMENSIONS** Ø38 x 139mm

**LUMEN** 1300LM | **RUNTIME** 3.5-85H | **BEAM** 291M | **IP RATING** IP67



## WCFL12 | WIRELESS FLASHLIGHT

- 1200 lumen white LED, 6500K
- Ultra tough nylon, aluminium & TPR construction
- Multi-faceted reflector for long distance beam
- Dual switches for easy mode selection
- Press & hold for 2 seconds for Strobe mode
- Memory function - remembers last mode used
- IP68 dust & water proof - 1m submersible
- IK07 super tough shock resistant construction
- 2m drop resistant
- 3 Battery level and charging indicators
- Built-in USB-C charging port with protective cover for direct charging
- 2A direct USB-C charging - fast 4 hour charge time
- 1m USB-C charging cable included
- Can be wirelessly charged with Unilite WCSGL or WCDBL wireless charging pads

**BATTERY** 3.7v 2600mAh Li-ion

**WEIGHT** 215g

**DIMENSIONS** Ø41 x 159mm



**LUMEN** 1200LM | **RUNTIME** 2-200H | **BEAM** 251M | **IP RATING** IP68/IK07

## WCIL11 | WIRELESS INSPECTION LIGHT

- 1100 lumen white COB LED, 6500K
- Additional 220 lumen SMD LED top torch, 6500K
- Ultra solid nylon construction with over-moulded TPR for extra durability and grip
- Easy press moulded rear switch
- Memory function - remembers last mode used
- 3 Super strong magnets on the back
- 180° Rotating handle with super strong magnets
- 2 x 360° rotating retractable hanging hooks
- IK07 super tough shock resistant construction
- 2m drop resistant
- 3 Battery level and charging indicators
- Built-in USB-C charging port with protective cover for direct charging
- 2A direct USB-C charging - 4.5 hour charge time
- 1m USB-C charging cable included
- Can be wirelessly charged with Unilite WCSGL or WCDBL wireless charging pads

**BATTERY** 3.7v 3350mAh Li-ion

**WEIGHT** 396g

**DIMENSIONS** 260 x 53 x 39.3mm



**LUMEN** 1100LM | **RUNTIME** 1.5-7.5H | **BEAM** 47M | **IP RATING** IP65/IK07

## WCHX7 | WIRELESS COMPACT WORK LIGHT

- 700 lumen white COB LED, 6500K
- Additional 275 lumen SMD LED spot beam, 6500K
- Ultra tough nylon, aluminium & TPR construction
- 180° Rotating stand with super strong magnets in the base
- Memory function - remembers last mode used
- IK07 super tough shock resistant construction
- 2m drop resistant
- 3 Battery level and charging indicators
- Built-in USB-C charging port with protective cover for direct charging
- 2A direct USB-C charging - 4 hour charge time
- 1m USB-C charging cable included
- Can be wirelessly charged with Unilite WCSGL or WCDBL wireless charging pads

**BATTERY** 3.7v 2600mAh Li-ion

**WEIGHT** 218g

**DIMENSIONS** 97 x 83 x 39mm



**LUMEN** 700LM | **RUNTIME** 2.5-10H | **BEAM** 118M | **IP RATING** IP65/IK07





## WCHT5 | WIRELESS DUAL LED HEADTORCH

- 550 Lumen white COB LED, 6500k
- Additional 450 lumen 6500K CREE LED spot beam LED
- Super tough polycarbonate construction
- 125° Rotational head
- Memory function - remembers last mode used
- Adjustable non-slip silicone lined headband
- IK07 super tough construction - 2m drop proof
- High quality 3.7v 1500mAh Li-po battery
- Green Flash-to-Solid Green charging indicator
- Low battery 3x warning flash - reminds when charging is needed
- Built-in USB-C direct charging port with protective cover
- 2A direct USB-C charging - fast 3 hour charge time
- 1m USB-C charging cable included
- Can be wireless charged using Unilite WCSGL or WCDBL wireless charging pads

**BATTERY** 3.7v 1500mAh Li-po  
**WEIGHT** 104g  
**DIMENSIONS** 70 x 52 x 46mm



**LUMEN** 550LM | **RUNTIME** 4-21H | **BEAM** 84M | **IP RATING** IP65/IK07

## WCSGL | SINGLE WIRELESS CHARGING PAD

- Super tough nylon polymer & ABS construction
- Strong magnets on the rear for attaching to magnetic surfaces
- Built-in screw holes for wall mounting
- Strong magnets on the front for attaching Unilite wireless products
- Pull-out secure phone holder for charging wireless mobile phones
- IK07 tough construction - 2m drop proof
- IP20 Dust resistant
- Built-in USB-C charging port
- Normal Charge Input: 5V-2A
- Fast Charging Inputs: 12V-1.5A / 9V-2A / 5V-3A
- Charging cable not included
- Quick charging 3.0 USB-C cables available to purchase separately



**WEIGHT** 335g | **DIMENSIONS** W 190.5 x H 101.2 x D 28.1mm

## WCDBL | DOUBLE WIRELESS CHARGING PAD

- Super tough nylon polymer & ABS construction
- Strong magnets on the rear for attaching to magnetic surfaces
- Built-in screw holes for wall mounting
- Strong magnets on the front for attaching Unilite wireless products
- Pull-out secure phone holder for charging wireless mobile phones
- IK07 tough construction - 2m drop proof
- IP20 Dust resistant
- Built-in USB-C charging port
- Normal Charge Input: 5V-2A (only suitable for charging 1 item at a time)
- Fast Charging Inputs: 12V-1.5A / 9V-2A / 5V-3A
- Quick charging 3.0 USB-C cable included & required for dual charging
- *\*\*Minimum charge input for charging 2 items at the same time requires 5V-3A input source (charger plug not inc.)*



**WEIGHT** 450g | **DIMENSIONS** W 290.5 x H 101.2 x D 28.1mm



## ATEX-RA2 | INTRINSICALLY SAFE RIGHT ANGLE TORCH

- 350 lumen white CREE LED, 6500k
- ATEX Zone 0 gas compliant
- Suitable for mining
- Safety release valve to release hydrogen gases
- Chemical and corrosion resistant
- Rubberised head and grips for durability
- Ultra strength polycarbonate housing
- Convenient rear stainless steel pocket clip
- Safety locking battery compartment
- Easy push micro switch operation
- IP54 dust and water resistant

**BATTERY** 4 x 1.5v AA Alkaline Batteries (not inc.)  
**WEIGHT** 250g (without batteries)  
**DIMENSIONS** 183 x 69 x 63mm



**LUMEN** 350LM | **RUNTIME** 6.5-13H | **BEAM** 288M | **IP RATING** IP54

## ATEX-FL4 | INTRINSICALLY SAFE FLASHLIGHT

- 150 lumen white CREE LED, 6500k
- ATEX Zone 0 gas compliant
- Safety release valve to release hydrogen gases
- Chemical and corrosion resistant
- Rubberised head & handle for greater durability
- Industrial strength polycarbonate housing
- Detachable pocket clip included for hands free use
- Safety locking battery compartment
- Polycarbonate lens and smooth reflector for long distance beam
- Optional brackets available for helmets
- IP67 dust and waterproof
- 3m submersible

**BATTERY** 4 x 1.5v AA Alkaline Batteries (not inc.)  
**WEIGHT** 115g (without batteries)  
**DIMENSIONS** 174 x 47 x 47mm



**LUMEN** 150LM | **RUNTIME** 6-69H | **BEAM** 235M | **IP RATING** IP67

## ATEX-H2 | INTRINSICALLY SAFE HEADTORCH

- 225 lumen white CREE LED, 6500k
- ATEX Zone 0 gas compliant
- Safety release valve to release hydrogen gases
- Strong ABS housing with durable synthetic rubber coating
- Safety locking battery compartment
- Easy press rubberised switch
- 2 mode light settings
- 90° rotational head
- Adjustable non-slip silicone lined headband included
- IP67 dust and waterproof
- 1m submersible

**BATTERY** 3 x 1.5v AAA Alkaline Batteries (not inc.)  
**WEIGHT** 130g (without batteries)  
**DIMENSIONS** headtorch 80 x 50 x 45mm



**LUMEN** 225LM | **RUNTIME** 5-12H | **BEAM** 115M | **IP RATING** IP67

**UNILITE**



## OP-1B | HEAVY DUTY STORAGE POUCHES

- Super heavy duty set of 2 storage zip pouches
- Made from 600D ultra tough PVC impregnated nylon
- Thick waterproof lining on the inside
- Large mesh windows on the front
- Heavy duty Unilite branded #8 YKK zippers
- Stylish black reflective strips for added safety
- With extra silver reflective branding details
- Additional Velcro flap pockets on the back
- External Unilite branded snap-hook carabiners

**DIMENSIONS** Small: H 150 x W 230mm | Large: H 180 x W 200mm

## OP-2B | HEAVY DUTY STAND-UP STORAGE POUCHES

- Super heavy duty set of 2 storage zip pouches
- Made from 600D ultra tough PVC impregnated nylon
- Thick waterproof lining on the inside
- Large mesh windows on the back
- Heavy duty Unilite branded #8 YKK zippers
- Stylish black reflective strips for added safety
- With extra silver reflective branding details
- External Unilite branded snap-hook carabiners
- Reinforced 60mm base depth allows pouches to stand-up

**DIMENSIONS** Small: H 150 x W 210mm | Large: H 200 x W 250mm

## OP-3B | SUPER HEAVY DUTY STORAGE POUCH

- Super heavy duty storage zip pouch
- Made from 900D ultra tough PVC impregnated nylon
- Large main internal compartment with extra thick padded waterproof lining
- Extra heavy duty Unilite branded #10 YKK zipper
- Super heavy duty waterproof exterior layer around the base & sides
- Large mesh expanding window pocket on the front
- Stylish black reflective strips for added safety
- With extra silver reflective branding details
- Mixture of 5 additional Velcro flap & Zip pockets using #8 YKK zippers
- 2 External 'D' rings attached using marine grade stainless steel rivets
- Comes with a 12Kn carabiner and A6 waterproof stone paper notebook

**DIMENSIONS** H 270 x W 190 x D 110mm



## KC1 | HEAVY DUTY KNIFE CUTTER

- Heavy duty stainless steel, ABS & TPR construction
- 8 x 18mm snap-off SK2 black steel blade
- Multi-position retractable quick slide button with auto-lock mechanism
- 2 x replacement snap-off blades conveniently stored inside
- Quick and easy blade change
- Convenient hole for attaching a lanyard

**WEIGHT** 100g | **DIMENSIONS** Length: 167mm

## KC2 | HEAVY DUTY KNIFE CUTTER

- Heavy duty nickel, TPR and ABS construction
- Retractable SK5 black steel blades
- 4 replacement blades conveniently stored inside
- Multi-position retractable quick slide button
- Sliding locking button mechanism
- Quick release blade change
- Convenient hole for attaching a lanyard
- Accepts most standard utility blades

**WEIGHT** 183g | **DIMENSIONS** Length: 185mm

## UK1 | FOLDING UTILITY KNIFE

- Heavy duty nickel, TPR and ABS construction
- 4 x SK5 black steel blades included
- 3 replacement blades conveniently stored inside
- Multi-positional folding design
- Easy press unlocking button
- Quick release blade change
- Convenient wire/strap cutter slot
- Useful hole for attaching a lanyard
- Accepts most standard utility blades
- Folded length: 116mm

**WEIGHT** 125g | **DIMENSIONS** Extended Length: 175mm





## FK3 | HEAVY DUTY FOLDING UTILITY KNIFE

- Heavy duty folding utility knife
- High-carbon 3Cr13 stainless steel blade
- 'Clip point' blade with serrated edge and tapered spine swedge
- Blade spine includes thumb rise for extra grip
- Blade hardness 52-54 HRC
- Assisted one-handed opening with thumb studs
- Easy to operate one-handed 'Liner lock' mechanism
- Ultra tough ergonomic aluminium handle with front Quillion finger guard
- Pocket clip for easy carrying
- Hole in the handle for adding a lanyard

**WEIGHT** 119.5g | **DIMENSIONS** Extended Length: 198mm

## EK4 | HEAVY DUTY FOLDING UTILITY KNIFE

- Heavy duty folding utility knife
- High-carbon 3Cr13 stainless steel blade
- 'Drop point' blade with serrated edge and tapered spine swedge
- Blade spine includes thumb rise for extra grip and 2 wire stripper notches
- Assisted one-handed opening with thumb studs
- Blade hardness 52-55 HRC
- Ultra tough ergonomic aluminium handle with front Quillion finger guard
- Easy to operate one-handed 'Framelock' mechanism
- Pocket clip for easy carrying

**WEIGHT** 135g | **DIMENSIONS** Extended Length: 195mm

## EK5 | HEAVY DUTY FOLDING UTILITY KNIFE

- Heavy duty folding utility knife
- Super high-carbon 7Cr17MoV stainless steel blade with high tensile strength
- 'Sheepsfoot' blade with cable stripper notch
- High blade hardness 56-58 HRC
- Crescent nail pull in the blade spine for easy opening
- Sharpening 'choil' notch at the blade plunge line for easier sharpening
- Durable and easy to operate 'Lockback' mechanism
- Ultra tough ergonomic aluminium handle
- Hole in the handle for adding a lanyard
- Super low-profile at only 10mm thick

**WEIGHT** 107g | **DIMENSIONS** Extended Length: 182mm



## ES-6 | HEAVY DUTY 6" ELECTRICIANS SCISSORS

- Ultra tough 6" professional electricians scissors (160mm)
- Whole steel frame for high resistance & durability
- Industrial strength polypropylene handles with full TPR coating for superior grip & comfort
- High grade 4034 Japanese stainless steel 4.0mm thick polished blades with 40mm cutting edge
- Black 'DLC' (diamond-like-carbon) coating on blades for extra sharpness
- High hardness blades (58±2 HRC) with anti-slip serrated edge
- 2.5mm<sup>2</sup> & 1.5mm<sup>2</sup> wire strippers & wire crimping terminal
- Notch in the blades for cutting/stripping 50mm<sup>2</sup> cable
- Includes heavy duty nylon clip-on belt sheath
- Suitable for cutting aluminium, copper and soft cable

**WEIGHT** 153g | **DIMENSIONS** Length: 160mm | Blade Length: 40mm

## MFS-8 | HEAVY DUTY 8" MULTI-FUNCTION SCISSORS

- Ultra tough 8" professional multi-function scissors (205mm)
- Industrial strength polypropylene handles
- With added TPR moulding for superior grip & comfort
- High grade 420 J2 Japanese stainless steel 3.0mm thick polished blades with 60mm cutting edge
- Black 'DLC' (diamond-like-carbon) coating on blades for extra sharpness
- High hardness blades (53±2 HRC) with anti-slip serrated edge
- Extra functions include safety box cutter, wire cutter notch and jar opener/nut cracker
- Includes polypropylene safety sheath
- Suitable for cutting soft materials such as tin sheets, carpets, corrugated cartons, aluminium sheets, plastics, CD, cards... etc.

**WEIGHT** 142g | **DIMENSIONS** Length: 205mm | Blade Length: 60mm



## MT5M4SL | HEAVY DUTY TAPE MEASURE

- Heavy duty 5m tape measure with 19mm wide blade
- Automatic self-lock secures the blade, with easy press button to release
- High performance nylon coated blade
- 1.8m/6ft horizontal stand-out blade
- Double riveted carbon steel hook
- Dual colour double sided imperial & metric blade
- Superior internal mechanism provides smooth operation
- Durable rear pocket clip - wont detach even if screw loosens
- Impact resistant TPR covered ABS casing
- Drop tested from 1.5m

**WEIGHT** 240g | **DIMENSIONS** H 74 x W 81 x D 42mm

## MT5M2 | HEAVY DUTY TAPE MEASURE


- Heavy duty 5m tape measure with 27mm wide blade
- Ultra high performance double nylon coated 'SUPERBLADE' gives 5 x extended life
- 2.9m/9.5ft horizontal stand-out blade
- SUPERBLADE withstands durability tests of falling sand particles with 60 litres of salt spray for 100 hours
- Magnetic triple riveted stainless steel dual hook with 1kg suction capacity
- Dual colour double sided imperial & metric blade
- Durable rear pocket clip - wont detach even if screw loosens
- Powerful push lock secures the blade
- Superior internal mechanism provides smooth operation
- Impact resistant TPR covered ABS casing
- Drop tested from 9m

**WEIGHT** 322g | **DIMENSIONS** H 76.5 x W 79 x D 51.8mm

## MT8M3 | SUPER HEAVY DUTY TAPE MEASURE

- Super heavy duty 8m tape measure with 32mm wide blade
- Ultra high performance double nylon coated 'SUPERBLADE' gives 5 x extended life
- 4m/13ft horizontal stand-out blade
- SUPERBLADE withstands durability tests of falling sand particles with 60 litres of salt spray for 100 hours
- Magnetic triple riveted stainless steel dual hook with 1kg suction capacity
- Dual colour double sided imperial & metric blade
- Durable rear pocket clip - wont detach even if screw loosens
- Powerful push lock secures the blade
- Superior internal mechanism provides smooth operation
- Impact resistant TPR covered ABS casing
- Drop tested 12 times from 3m

**WEIGHT** 603g | **DIMENSIONS** H 90 x W 90 x D 59mm



## SG-YDS | SAFETY GLASSES - DARK SMOKE LENSES

- Tough flexible polycarbonate frame
- 8-Base curved toughened polycarbonate lenses
- Dark smoke lens tinting
- K & N anti-scratch & anti-fog lens coatings
- 99% UV A/B/C protection (EN172)
- Flexible PC & TPR co-injected side arms
- Side temple ventilation
- Adjustable rubberised non-slip nose pads
- Reinforced nose bridge
- Micro-fibre drawstring storage bag included

### LENS MARKINGS

- Lens Filters: 5 (UV EN172) 2.5 (Dark Smoke)
- Optical Class: 1 (high optical quality)
- Lens Coatings: Anti-Scratch - K Anti-Fog - N
- Mechanical risk: Low energy impact - F
- High speed particles at extreme temperatures - T

**WEIGHT** 28g



**CERTIFICATIONS** CE/UKCA - EN166 | USA - ANSI Z87.1 | AU/NZ - AS/NZS 1337.1

## SG-YCB | SAFETY GLASSES - CLEAR BLUE LIGHT LENSES

- Tough flexible polycarbonate frame
- 8-Base curved toughened polycarbonate lenses
- Clear 420Cut blue light blocking lenses
- Blocks harmful HEV blue light up to 420nm
- K & N anti-scratch & anti-fog lens coatings
- 99% UV A/B/C protection (EN170)
- Flexible PC & TPR co-injected side arms
- Adjustable rubberised non-slip nose pads
- Reinforced nose bridge
- Micro-fibre drawstring storage bag included

### LENS MARKINGS

- Lens Filters: 2C (UV EN170) 1.2 (Clear)
- Optical Class: 1 (high optical quality)
- Lens Coatings: Anti-Scratch - K Anti-Fog - N
- Mechanical risk: Low energy impact - F
- High speed particles at extreme temperatures - T

**WEIGHT** 28.5g



**CERTIFICATIONS** CE/UKCA - EN166 | USA - ANSI Z87.1 | AU/NZ - AS/NZS 1337.1

## SG-YFG | SAFETY GLASSES - CLEAR LENSES & FOAM GASKET

- Tough flexible polycarbonate frame
- 8-Base curved toughened polycarbonate clear lenses
- Hytrel black back frame with EVA foam gasket
- K & N anti-scratch & anti-fog lens coatings
- 99% UV A/B/C protection (EN170)
- Flexible PC & TPR co-injected side arms
- With side temple ventilation
- Adjustable TPR non-slip nose pads
- Reinforced nose bridge
- Micro-fibre drawstring storage bag included

### LENS MARKINGS

- Lens Filters: 2C (UV EN170) 1.2 (Clear)
- Optical Class: 1 (high optical quality)
- Lens Coatings: Anti-Scratch - K Anti-Fog - N
- Mechanical risk: Low energy impact - F
- High speed particles at extreme temperatures - T

**WEIGHT** 39.5g



**CERTIFICATIONS** CE/UKCA - EN166 | USA - ANSI Z87.1 | AU/NZ - AS/NZS 1337.1





## SG-Y10 | SAFETY GLASSES - INDOOR/OUTDOOR LENSES

- Super tough flexible nylon-polymer frame
- 8-Base curved toughened polycarbonate lenses
- Toughened polycarbonate lenses
- Indoor & outdoor mirror lens coating
- With 99% UV A/B/C protection (EN170)
- Anti-scratch & anti-fog lens coatings
- Flexible PC & TPR co-injected side arms
- Rubberised TPR inner arm grips
- TPR non-slip nose grip with reinforced bridge
- Side TPR temple shields with ventilation
- Micro-fibre drawstring storage bag included

### LENS MARKINGS

- Lens Filters: 2 (UV EN170) 1.4 (Indoor & Outdoor)
- Optical Class: 1 (high optical quality)
- Lens Coatings: Standard Anti-Scratch & Anti-Fog
- Mechanical risk - Low energy impact - F
- High speed particles at extreme temperatures - T

**WEIGHT** 33.5g



**CERTIFICATIONS** CE/UKCA - EN166 | USA - ANSI Z87.1 | AU/NZ - AS/NZS 1337.1

## GLASSES-KIT | SAFETY GLASSES ACCESSORIES KIT

The perfect accessory for our range of Unilite safety glasses.

Built tough to protect your safety glasses, this kit includes a hard-shell EVA foam zip case made from ultra tough material, a micro-fibre cloth & a neoprene neck strap to keep your safety glasses secure.

Kit Includes:

- Hard shell EVA foam zip case with carabiner hook
- Micro-fibre cloth
- Neoprene neck strap

**KIT WEIGHT** 72g | **ZIP CASE DIMENSIONS** 170 x 68 x 82.5mm



**UNILITE**



INNOVATIEF STERK  
**Vip Tools**  
FORT EN INNOVATION

## UG-12C4 | HEAVY DUTY CUT-D IMPACT GLOVES

- Cut resistant gloves with full dorsal TPR impact protection
- Flexible lightweight design, TPR weighs less than 60g
- Heavy duty 15-Gauge high-performance polyethylene (HPPE) yarn interwoven with steel and glass fibres for added strength and high cut resistance
- Sandy nitrile half-dip coating offers excellent grip
- TPR is sonic welded to the glove for greater longevity
- Adjustable TPR velcro wrist strap for secure fit
- Synthetic leather stitched cuff for durability
- Touch screen technology
- EN 388:2016 mechanical hazard protection: 4X42DP - cut level D
- ANSI/ISEA 138 impact resistant level 2
- ANSI cut resistant level A4
- Available in 5 EU sizes - 7/S, 8/M, 9/L, 10/XL & 11/XXL.



**CERTIFICATIONS** EN ISO 21420:2020 | EN 388:2016+A1:2018 | ANSI/ISEA 2016 | ANSI/ISEA138:2019

## UG-TW1 | THERMAL WATERPROOF GLOVES

- Warm thermal waterproof gloves
- Uses rPET polyester yarn that has been extruded from waste plastic bottles
- Superior quality soft & supple 0.7-0.8mm full grain goat leather
- Reinforced leather top of finger tips for extra durability
- Suitable for use in cold & wet environments due to waterproof HIPORA membrane
- Reflective silver strips for added visibility
- Elasticated 360° wrist for a secure warm fit
- Ergonomically designed for improved dexterity
- Touch screen technology in the thumb & index finger
- EN 388:2016 mechanical hazard protection: 2X32B - cut level B
- EN 511:2006 protection against Cold hazards - 22X
- Available in 5 EU sizes - 7/S, 8/M, 9/L, 10/XL & 11/XXL.



**CERTIFICATIONS** EN ISO 21420:2020 | EN 388:2016+A1:2018 | EN 511:2006

**UNILITE**



## LARGE-MAGNET | MAGNET

- Ultra strong heavy duty magnet
- Made from steel and aluminium
- Locking wing nut securely holds a site light
- Can be used with the following Unilite site lights: CRI-2300, CRI-3350, SLR-4400, SLR-4750, SLR-6000, RF-2000, RF-3300, RF-5400 and MTB-5300

**WEIGHT** 169g | **SIZE** H 37 x Ø 54mm

## TRIPOD-MINI | MINI TRIPOD

- Heavy duty glass-filled nylon and TPR construction
- 360° ball joint head with integrated spirit level
- Easy flip lock to secure ball joint in position
- 1/4" screw for mounting devices
- Protective screw cap with hanging loop
- Non-slip grip ridges on the legs
- Folded height 170mm, opened height 120mm
- Max load capacity 2.5kg

**WEIGHT** 176g | **SIZE** 120mm

## TRIPOD-SGL | SINGLE HEAD TRIPOD

- To hold a single work light
- Extendable height range between 0.7-1.8m
- Work lights can be screwed directly to the top of the tripod or simply hooked on, using the bracket
- Toughened aircraft grade aluminium construction
- ABS stability feet to prevent slipping
- Quick assembly and dismantling using easy twist ergonomic height adjusters
- Can be used with the following Unilite site lights: CRI-2300, CRI-3350, SLR-4400, SLR-4750, SLR-6000, RF-2000, RF-3300, RF-5400 and MTB-5300

**WEIGHT** 2560g | **DIMENSIONS** 1240 x 1240 x 1800mm

## TRIPOD-SW | SINGLE HEAD TRIPOD WITH WHEELS & BRAKES

- To hold a single work light
- Sturdy castor wheels for easy manoeuvrability with independent foot brakes
- Extendable height range between 0.7-1.8m
- Work lights can be screwed directly to the top of the tripod or simply hooked on, using the bracket
- Toughened aircraft grade aluminium construction
- Quick assembly and dismantling using easy twist ergonomic height adjusters
- Can be used with the following Unilite site lights: CRI-2300, CRI-3350, SLR-4400, SLR-4750, SLR-6000, RF-2000, RF-3300, RF-5400 and MTB-5300

**WEIGHT** 3500g | **DIMENSIONS** 1240 x 1240 x 1850mm

## TRIPOD-360 | MULTI-USE TRIPOD WITH MAGNETIC PLATE

- Can hold up to 4 work lights
- Extendable height range between 0.9-1.9m
- Work lights with magnets can be placed on top or underneath the top plate
- Toughened aircraft grade aluminium construction
- ABS stability feet to prevent slipping
- One tripod leg has an extra extending feature for uneven ground
- Quick assembly and dismantling using the central screw tightening height adjuster
- Can be used with the following Unilite magnetic site lights: CRI-1900, CRI-3250, SLR-3500 & SLR-5500.
- Can be used with the following site lights when used with the LARGE-MAGNET attachment: CRI-2300, CRI-3350, SLR-4400, SLR-6000, SP-4500, RF-2000, RF-3300, RF-5400 and MTB-5300

**WEIGHT** 4800g | **DIMENSIONS** 1460 x 1460 x 1930mm

**UNILITE**



INNOVATIEF STERK  
**Vip Tools**  
FORT EN INNOVATION

**HANDS  
OFF  
MY  
TOOL**

**UNILITE**  
LIGHTS - BUILT - TOUGH

**I ♥ UNILITE**

#BUILT TOUGH  
**UNILITE**  
#BUILT TOUGH



**UNILITE**  
LIGHTS - BUILT - TOUGH



**# BUILT  
TOUGH**

**Vip Tools**

Neerlandweg 12  
BE-2610 Wilrijk  
Tel: +32 (0 ) 3 844 52 52  
[info@viptools.be](mailto:info@viptools.be)